

H105NL/2 STAGE

Motorized 6-inch travel stage for Nikon LV-series

The H105NL/2 stage is designed for use with Nikon LV100 and LV150 microscopes for 6-inch semiconductor wafer imaging.

The stage features a notch at the rear to enable the full travel range to be achieved on these smaller microscopes, enabling high precision motorized control of samples that can typically only be imaged on larger systems.

Numerous sample holders dedicated to industrial applications are available for the H105NL/2.

Featuring Prior's patented Intelligent Scanning Technology (IST) to optimize stage accuracy, linearity and other performance characteristics in combination with a 2 mm ballscrew for speed, the H105NL/2 is optimized for scanning industrial samples reliably and efficiently.




Key Features

- Directly compatible with Nikon LV100/LV150 and NIS Elements software.
- Travel range supports 6-inch wafers.
- Intelligent Scanning Technology™ (U.S. Patent 7,330,307).
- Additional clearance simplifies integration into Openstand and other customized imaging systems.
- Excellent combination of speed and accuracy.


Applications

- Industrial microscopy
- Metrology
- Semiconductor inspection

Dimensions*



*Outer dimensions are the maximum footprint of the stage when at the limits of travel.



Specifications

H105NL/2

Travel range	154 x 154 mm
Unidirectional repeatability ¹	<0.7 µm
Bidirectional repeatability ¹	<2.7 µm
Metric accuracy ¹	0.17 µm/mm
Full travel metric accuracy	<25 µm
Resolution ²	0.04 µm
Squareness ¹	<45 arcsec
Maximum velocity ³	60 mm/s
Maximum load	10 kg
Encoders	No
Motor type	200 step
Screw pitch	2 mm
Weight	5 kg

1. As per Prior Scientific's test methodology, typical value.

2. Defined as the minimum motor step resolution for non-encoded stages, defined as the encoder resolution for encoded stages.

3. Defined as 2.5x the default velocity, true maximum velocity is dependent on sample mass.

Ordering Information

Part Number	Description
H105NL/2	Large format ProScan® stage for Nikon LV100/150, with travel range of 154 x 154 mm, 2 mm pitch ball screw and 200 step motors for Nikon microscopes.

UNITED KINGDOM

Prior Scientific Instruments Ltd.
Units 3-4 Fielding Industrial Estate
Wilbraham Road, Fulbourn
Cambridge, CB21 5ET
United Kingdom
Email: inquiries@prior.com
Phone: +44 (0)1223 881711

U.S.A.

Prior Scientific, Inc.
80 Reservoir Park Drive
Rockland, MA. 02370
U.S.A.
Email: info@prior.com
Phone: +1 781 878 8442

GERMANY

Prior Scientific Instruments GmbH
Maria-Pawlowna-Str. 4
D-07743, Jena, Germany
Email: jena@prior.com
Phone: +49 (0)3641 242 010

JAPAN

Kayabacho 3rd Nagaoka Bldg 10F,
2-7-10, Nihonbashi Kayabacho, Chuo-Ku,
Tokyo103-0025, Japan
Email: info-japan@prior.com
Phone: +81 (0)3 5652 8831

CHINA

Prior Scientific Instruments (Suzhou) Ltd.
Room 118, Meilihua Hemu Park
No. 393 Suhong Middle Road, Suzhou Industrial Park
Suzhou, 215000 China
Email: info-china@prior.com
Phone: +86 (0)512 6617 5866

